


Specifications


Product	Condenser Fan Motor
Motor Type	Permanent Split Capacitor
Rated Horsepower	1/6 to 1/2 horsepower
Supply Voltage	208 to 230 VAC
Supply Frequency	60 hertz
Current	1.3 to 4.5 amps at rated speed and horsepower
Run Capacitor	370 VAC - 5 to 10 μ F
Lead Wire Length	30 inches long
Lead Wire Gauge	#18 AWG
Temperature Rating	60° C / 140° F
Thermal Overload	Equipped with an automatic thermal overload
Insulation Class	B
Rated Speed	1075 rpm (wiring for single speed)
Mounting	Shaft up, shaft down, or belly band
Frame Size	39
Bearings	Sleeve
Rotation	CW/CCW (electrically reversible)
Shaft Length	3-5/8 inches
Shaft Diameter	1/2"
Shaft Flats	One flat

Wiring Diagram



Direction Wiring Diagram	CW	orange — purple yellow — brown
	CCW	orange — purple yellow — brown

Alternate 3-Wire Method



Direction Wiring Diagram	CW	orange — purple yellow — brown
	CCW	orange — purple yellow — brown

Package Metrics

Producer of Goods	DiversiTech
Domestic/Foreign Commodity	Foreign

SKU Specific Package Metrics

Catalog No.	Description	UPC	Quantity per Case	Weight (lbs.)
WG840727	Direct Drive Furnace Blower Motor	0686109004615	1	9.92
WG840728		0686109004608	1	10.8
WG840729		0686109004585	1	14.77
WG840730		0686109004561	1	17.64
WG840731		0095247093731	1	21.38
Dimensions L x W x H (inches)				
41.34 x 46.26 x 41.34				
41.34 x 46.26 x 41.34				
48.03 x 43.31 x 41.34				
41.34 x 43.31 x 41.34				
41.34 x 43.31 x 41.34				



Condenser Fan Motors

